

STATUTORY DECLARATION
Registration of Fittings
Single or Multiple Fitting Designs within one Fitting Category

I, Cheng Jie, Marketing Manager
(name of applicant) (position title) (must be in a position of authority)
of Jiangyin Eastern Valve Co., Ltd.
(name of manufacturer)
located at 80# Longshan Road, Zhouzhuang, Jiangyin, Jiangsu, China
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- comply with the requirements of ASME B16.34, API 600, API 623, API 594, API 603, MSS Sp 144 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the (title of code of construction or other applicable document) attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

0020546-2

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Refer to Supplementary Sheet No.1(attached)	ISO 9001:2015	Design and Manufacture of Gate Valves, Ball Valves, Globe Valves and Check Valves	22 October, 2022	DNV GL- Business Assurance	Jiangyin Eastern Valve Co.,Ltd. at, No.80 Longshan Road, Zhouzhuang Town, Jiangyin

						City, Jiangsu Province, P.R. China
2.						

0020546.2

In support of this application, the following information, calculations and/or test data are attached:
CATEGORY "C" VALVES : Catalogues: PBV Series 5700/6700 Three-Piece Trunnion Supported Ball Valves

Current CRN OC1003.92

Chengjie

(Signature of the Declarer)

Jan 17th, 2020

(Date)

DECLARED before me at _____ in the _____ of _____
(city) (province, territory, or state)

this _____ day of _____, _____
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: _____
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

OC20546.2

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category _____.

CRN: 0C20546.2

Registered Date: MAR 13 2020

Expiry Date: March 13, 2030

Signature: **STEVAN STOJANOVIC** *[Handwritten Signature]*
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

Table 1** Scope of Fitting Designs

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			
DSI Series 37123/6617 377187 776173/17 777187 Gate Valves	Body	A216 Gr.WCB/WC C,	Full Port: 2" to 72" Reduced Port: 3" to 72"	-196C	-46C	650C	Class 150 Class 300 Class 600 Class 900 Class 1500 Class 2500	API 600-0024 API 603 MSS Sp 144 ASME B16.34	
		A352 Gr.LCB/LCC/ LC3,							
		A217 Gr.WC6/WC9 /C5/C12/C12 A,							
		A351 Gr.CF8/CF8 M/CF3/CF3M /CF8C							
		Duplex ENP							
DSI Series 133/141/1 61/173/17 9/185 7161/173 17179/173 5	Body	A216 Gr.WCB/WC C,	Full Port: 2" to 24" Reduced Port: 3" to 24"	-196C	-46C	650C	Class 150 Class 300 Class 600 Class 900 Class 1500 Class 2500	API 623 API 603 MSS Sp 144 ASME B16.34	
		A352 Gr.LCB/LCC/ LC3,							
		A217 Gr.WC6/WC9 /C5/C12/C12							

0C20546.2

Globe Valves		A, A351 Gr.CF8/CF8 M/CF3/CF3M Duplex ENP											
DSI Series 137/149/1 65/177/18 9/199 7165/7177 7189/719 9	Body	A216 Gr.WCB/WC C, A352 Gr.LCB/LCC/LC3, A217 Gr.WC6/WC9 /C5/C12/C12 A, A351 Gr.CF8/CF8 M/CF3/CF3M Duplex ENP	Full Port: 2" to 48" Reduced Port: 3" to 48"	-196C	-46C	650C				Class 150 Class 300 Class 600 Class 900 Class 1500 Class 2500	API 594 API 603 MSS Sp 144 ASME B16.34		
Check Valves													

OC20546 • 2

Table 2 Additional Scope Information

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)	
Example:	
Series X Options	
DSI Cast Steel Valves - Available Modifications: •Packing & Gasket Changes •Teflon Disc Inserts	Available NDE Testing: •Dye Penetrant Test
• Customer Specified Coatings	

•End Connection Modification	•Drilled & Tapped Body/Bonnet Connections	•Outside Lever & Weight for Check Valves	•Magnetic Particle Test
•Gear Operator Mounting	•By-pass	Valves	•Radiography
•Trim Changes	•Pressure Equalizing	•Slam Retarders for Check Valves	•PMI (Positive Material Identification)
•Actuation	•Acid Shields	•Chain Wheel Operator	
•Cryogenic Gas Columns	•Oxygen & Chlorine Cleansing & Packaging	•Block & Bleed	
•Handwheel Extension	•Weld End Bore Changes	•API Performance Testing	
DSI Pressure Seal Valves - Available Modifications:			
Gate Valves:			
•Gear Operator Mounting	Globe Valves including Stop Check:	Check Valves:	
•Trim Changes	•Gear Operator Mounting	•Outside Lever & Weight	•Drilled & Tapped Body Connections
•Actuation	•Trim Changes	•Slam Retarders	
•Drilled & Tapped Body Connections	•Actuation	•Assisting Springs	
•By-pass	•Drilled & Tapped Body Connections	•Position Switches/Indicators	
•Pressure Equalizing	•By-pass	•Pneumatic Safety Controls	
•Weld End Bore Changes	•Weld End Bore Changes	•Trim Changes	
•Customer Specified Coatings	•Customer Specified Coatings	•Customer Specified Coatings	
		•Weld End Bore Changes	

0020546.2

** For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41

QUALITY PROGRAM VERIFICATION and MANUFACTURING SITES

AB-41 Supplementary Sheet No.: 1


Tracking No.:

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s), Plant Name and Address
1.	DSI GATE VALVES Flanged End Models: 37, 23, 66, 73, 77 Welding End Models: 37-1/2, 23-1/2, 66-1/2, 73-1/2, 77-1/2	GB/T 19001-2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 1 (HQ, Registration Address): No. 80 Longshan Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
2.	DSI GLOBE VALVES Flanged End Models: 133, 141, 161, 173, 179 Welding End Models: 133-1/2, 141-1/2, 161-1/2, 173-1/2, 179-1/2	GB/T 19001-2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Design and Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 2: No. 2 Longdong Road; Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
3.	DSI SWING CHECK VALVES Flanged End Models: 137, 149, 165, 177, 189 Welding End Models: 137-1/2, 149-1/2, 165-1/2, 177-1/2, 189-1/2	GB/T 19001-2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Valve Casting Production Activities for Internal Using)	22-Oct-2022	DNV GL- Business Assurance	Site 3: No. 800-1, Yungu Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
4.	DSI PRESSURE SEAL FLEXIBLE WEDGE GATE VALVES GATE VALVES DSI PRESSURE SEAL PARALLEL SLIDE GATE VALVES Models: 776, 773, 777, 787	GB/T 19001-2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 1 (HQ, Registration Address): No. 80 Longshan Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
5.	DSI PRESSURE SEAL STRAIGHT PATTERN GLOBE VALVES DSI PRESSURE SEAL Y-PATTERN GLOBE & STOP CHECK VALVE Models: 7161, 7173, 7179, 7185	GB/T 19001-2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Design and Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 2: No. 2 Longdong Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
6.	DSI PRESSURE SEAL SWING TYPE CHECK VALVES DSI PRESSURE SEAL TILT DISC CHECK VALVES Models: 7165, 7177, 7189, 7199	GB/T 19001-2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Valve Casting Production Activities for Internal Using)	22-Oct-2022	DNV GL- Business Assurance	Site 3: No. 800-1, Yungu Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China

0020546.2

**STATUTORY DECLARATION
Registration of Fittings**
Single or Multiple Fitting Designs within one Fitting Category

I, CHENGJIE, MARKETING MANAGER
(name of applicant) (position title) (must be in a position of authority)
of Jiangyin Eastern Valve Co., Ltd.
(name of manufacturer)
located at 80#Long shan Road,Zhouzhuang Town,Jiangyin,Jiangsu,China
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- comply with the requirements of ASME B16.34, API 6D, API 608, MSS SP72, MSS SP-25 which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or
(title of recognized North American Standard)
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the
(title of code of construction or other applicable document)
attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

0020545-2

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Refer to supplementary Sheet No.(attached)	ISO 9001:2015	Design and Manufactue of Gate Valves, Ball Valves, Globe Valves and Check Valves	22 October, 2022	DNV GL-Business Assurance	Jiangyin Eastern Valve Co.,Ltd. at No.80 Longshan Road, Zhouzhuang Town, Jiangyin

						City, Jiangsu Province, P.R. China
2.						

0C20545.2

In support of this application, the following information, calculations and/or test data are attached:

CATEGORY "C" VALVES : Catalogues: PBV Series 5700/6700 Three-Piece Trunnion Supported Ball Valves

Current CRN 0C1003.92

Chengjie

(Signature of the Declarer)

Jan 17th, 2020

(Date)

DECLARED before me at _____ in the _____ of _____
(city) (province, territory, or state)

this _____ day of _____, _____
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

0C20545.2

Commissioner of Oaths / Notary Public in and for: _____
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category

CRN: **OC20545.2**

Registered Date: **MAR 13 2020**

Expiry Date: **March 13, 2030**

Signature: **STEVAN STOJANOVIC** *[Signature]*
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

Table 1** Scope of Fitting Designs

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			
PBV Series 5700/6700 3 pce Trunnion Supported Ball Valves	Body	A105/A350 LF2 (dual rated)	Full Port: 2" to 56" Reduced Port: 3" to 56"	-46C	-46C	300C	Class 150	API 6D-0427 Fire tested to API 6FA & 607	
		304SS					Class 300		
		316SS					Class 600		
		F55 Duplex					Class 900		
		ENP					Class 1500		
CRA Weld Overlay	Class 2500								
PBV Series 5800/6800 2-pce Trunnion Supported Ball Valves	Body	ASTM A216 Gr. WCB/MWC	Full Port: 2" to 56" Reduced Port: 3" to 56"	-46C	-46C	300C	Class 150	API 6D-0427 Fire tested to API 6FA & 607	
		A352 Gr. LCC					Class 300		
		304SS					Class 600		
		316SS					Class 900		
		F55 Duplex					Class 1500		
ENP	Class 2500								
CRA Weld Overlay									

OC20545.2

Table 2 Additional Scope Information

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
<p>Example: Series X Options</p>
<p>PBV Series 5700/6700 (refer to PBV Series 5700/6700 3-Piece Trunnion Supported Ball Valves [PBV_3PCTRUN_REV0618] pages 11-12) and 6800/5800 2-Piece Trunnion ball valves:</p>
<p>Buried Service</p>
<p>PBV Valves for Cryogenic Service</p>
<p>Double Isolation and Bleed Valves and Double Block and Bleed (DBB)</p>
<p>DIB Valve Variants</p>
<p>DIB-1 : Double Isolation & Bleed with two-way double acting seats, with independent cavity relief valve.</p>
<p>PL</p>
<p>DIB-1N: Double Isolation & Bleed valves with two-way double acting seat, without cavity relief valve.</p>
<p>MP</p>
<p>DIB-2N: Double Isolation & Bleed valves with one unidirectional seat and one two-way double acting seat, without cavity relief</p>
<p>AM</p>
<p>Two-Way Double Acting Seat Design</p>
<p>Fully Welded Body Designs (in larger sized)</p>
<p>Special Under Water Gas Testing</p>

0C205 45

** For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41

Tracking #: _____

QUALITY PROGRAM VERIFICATION and MANUFACTURING SITES

AB-41 Supplementary Sheet No.: 1

Tracking No.:

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and Address
1.	PBV Series 5700/6700 3 Piece Trunnion Supported Ball Valves	GB/T 19001:2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 1 (HQ, Registration Address): No. 80 Longshan Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
2.	PBV Series 5700/6700 3 Piece Trunnion Supported Ball Valves	GB/T 19001:2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Design and Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 2: No. 2 Longdong Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
3.	PBV Series 5700/6700 3 Piece Trunnion Supported Ball Valves	GB/T 19001:2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Valve Casting Production Activities for Internal Using)	22-Oct-2022	DNV GL- Business Assurance	Site 3: No. 800-1, Yungu Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
4.	PBV Series 5800/6800 2 Piece Trunnion Supported Ball Valves	GB/T 19001:2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 1 (HQ, Registration Address): No. 80 Longshan Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
5.	PBV Series 5800/6800 2 Piece Trunnion Supported Ball Valves	GB/T 19001:2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Design and Manufacture)	22-Oct-2022	DNV GL- Business Assurance	Site 2: No. 2 Longdong Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China
6.	PBV Series 5800/6800 2 Piece Trunnion Supported Ball Valves	GB/T 19001:2016 ISO 9001:2015	Design & Manufacture of Gate Valves, Ball Valves, Globe Valves & Check Valves (Valve Casting Production Activities for Internal Using)	22-Oct-2022	DNV GL- Business Assurance	Site 3: No. 800-1, Yungu Road, Zhouzhuang Town, Jiangyin City, Jiangsu Province, P.R. China

OC20545-2