



STATUTORY DECLARATION Registration of Fittings Single or Multiple Fitting Designs within one Fitting Category

ı, Zh	nangwen Cheng	,	President			manufac	bace, show facsimile of cturer's logo or trademark appear on the fitting.	
	(name of applicant)		(position title) (must b	e in a position of	authority)		A 27	
of	NEWAY Valve (Suzho	ou) Co., Ltd		•	SUNCE THE CONTRACT	M	NEWAY	
-	, , , , , , , , , , , , , , , , , , , ,		of manufacturer)			411	NEWAI	
locate	d at No. 666 Tai Shan R	oad, Suzhou Ne	w District, Suzhou, Jinag	su, China 215129	9			
		The same of the sa	ant address)			707 0 0		
	emnly declare that the	fittings listed	hereunder, which a	re subject to the	he Safety Co	des Act		
(selec	t only one)							
_	.4		ACME DAG 24					
X	comply with the requi	rements of _	ASIVIE B 16.34			ecifies th	ne dimensions,	
	VCP NAMED NAME V	1000	title of recognized North		NOMES CONTRACTOR	62000	Applicates	
	materials of construc	ction, pressure	e/temperature rating	gs and identific	ation markin	g of the	fittings, or	
02-20								
	are not covered by th	e provisions of	of a recognized Nor	th American st	andard and	are there	efore	
	manufactured to some	مائن سام					h th. =	
	manufactured to com		code of construction or o	other applicable de		pported	by the	
	attached data which i					o/tompo	ratura ratings	
	attached data which identifies the dimensions, materials of construction, pressure/temperature ratings							
	and the basis for suc	h ratings, and	I the identification m	arking of the f	ittings.			
I furthe	er declare that the ma	nufacture of th	hese fittings is contr	olled by a dua	lity control pr	oaram v	which has been	
	-				F			
verifie	d as described in the b	below Table a	s being suitable for	the manufactu	iring of these	fittings	to the stated	
standa	ırd, regulation, code, g	juideline or ot	her applicable docu	ment. The fitti	ngs covered	by the d	leclaration for	
which	I seek registration are	as provided i	n the Supplementar	v Sheet(s) atta	ached.			
		p		,(-,				
Qualit	y Program Verification	on and Manu	facturing Sites					
A copy	of the Quality Certific	ate from each	n manufacturing site	must be inclu	ided			
Item	Product Description,	Quality	Scope of	Expiry	Verifying		ocation(s)	
#	Model or Series	Program	Certification	Date	Organizati		ddress	
	Ball, Gate,	ISO 9001: 2015	Design, Manufacture, and service of	January, 2024	DNV - GL	1950	No.666 Tai Shan Road Suzhou New District,	
1.	Globe, Check, Butterfly Valves	2015	Industrial Valve and			5	Suzhou, Jinangsu,	
	Butterny valves		Marine Valve			(China 215129	
2								





In support of this application, the following information, calculations and/or test data are attached:

mental approximation, and remaining machine and a	and an are all and all are all
Catalogue(s): E-TMBV-2019, E-FBV-2019, E-MMBV-2020, E-CBV-2019, E-P	V-2016, E-FWBV-2019, E-GGC-2019, E-DAV-2020,
E-PLV-2019, E-DOV-2020, E-TOV-2019, E-FSV-2020, E-SSV-2019	
(Signature of the Declarer)	2-25-202 (Date)
this day of February , Je (City) (Amonth) (Yes (Despire at Stafford) (City) (Month) (Yes (Month) (Amonth) (Yes (Month) (Month) (Month) (Month) (Month) (Month) (Month) (Yes (Month)	JUSZU WEN Notary Public, State of Texas Comm. Expires 07-25-2021 Notary ID 126955053 (province, territory, or state)
For ABSA Office Use Only: NOTES:	
To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category C CRN:	ABSA SAFETY CODES ACT - PROVINCE OF ALBERTA ACCEPTED: 0C12252.2 See acceptance letter for conditions of registration. Date: 2021-03-12 By: Zano Productions ZANA RADISAVLJEVIC, P. Tech. (Eng.) This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



Table 1 Scope of Fitting Design

Supplemental Sheet for AB-41

		Table 1 Scope of Fitting Besign				Supplemental Sheet for Ab-41		
Fitting Description	Primary Presure Bearing/Retaining Component	Material of Construction	Fitting Size Range &/or Schedule	End Connection and Size Range	Code/Standard of Construction	Reference Catalogue (pages) or Drawing (s)		
Valves	Trunnion Ball Valves	A216 WCB, A216 WCC, A352 LCC, A105N, A350 Gr LF2, A995 CD3MN, A995 CD4MCuN, A182 F51, A182 F53, A182 F55, A217 WC1, A217 WC6, A217 WC9, A217 C5, A217 C12, A217 C12A, A217 WC5, A182 F1, A182 F5, A182 F9, A182 F91, A182 F5a, A182 F92, A352 LC1, A352 LC2, A352 LC3, A352 LCB, A350 LF3, A350 LF6(2), A494 M35-1, A494 M35-2, A351 CN7M, A494 CW-12MW, B564 N04400, B564 N06600, B564 N06625, B637 N07718, B564 N08800, B564 N08825, B564 N10276, B564 N10675,	NPS 1.5"-60 " BW, Flanged	ASME Classes: 150, 300, 600,	ASME B16.34	E-TMBV-2019		
	Floating Ball Valves	B564 N10665, B462 N08020, B649 N08904, A351 CF8, A351 CF8M, A351 CF3, A351 CF3M, A351 CF8C, A351 CF10, A351 CG8M, A351 CG3M, A351 CF10M, A351 CK3MCuN, A351 CN3MN, A182 F304, A182 F316, A182 F304L, A182 F316L, A182 F347, A182 F304H, A182 F321, A182 F317L, A182 F317, A182 F316H, A182 F321H, A182 F347H, A182 F44, A240 304, A240 316, A240 316L, A995 CD4MCuN, A995 CD8MN, A182 F22, A182 F11	NPS 1/2"-10" BW, Flanged	900, 1500, 2500	ASME B16.34	E-FBV-2019		
	Metal Seated Ball Valves	A216 WCB, A216 WCC, A352 LCC, A105N, A350 Gr LF2, A995 CD3MN, A995 CD4MCuN, A182 F51, A182 F5,A352 LCB, A350 LF3, A350 LF6(2), A351 CF8, A351 CF8M, A351 CF3, A351 CF3M, A351 CF8C, A351 CF10, A351 CG8M, A351 CG3M, A351 CF10M, A351 CK3MCuN, A351 CN3MN, A182 F304, A182 F316, A182 F304L, A182 F316L, A182 F347, A182 F304H, A182 F321, A182 F317L, A182 F317, A182 F316H, A182 F321H, A182 F347H, A182 F44, A240 304, A240 316, A240 316L	NPS 1/2"-16" BW, Flanged, SW, FNPT, MNPT	ASME Classes: 150, 300, 600, 900, 1500, 2500	ASME B16.34	E-MMBV-2020		
	Cryogenic Ball Valves	A351 CF8, A351 CF8M, A351 CF3, A351 CF3M, A351 CF8C, A182 F304, A182 F316, A182 F304L, A182 F316L, A182 F304L, A352 Gr LC3, A350 Gr LF3	NPS 3/8"-40" BW, Flanged, SW, FNPT, MNPT	ASME Classes: 150, 300, 600, 900, 1500	ASME B16.34	E-CBV-2019		
	Pigging Ball Valve	A216 WCB, A216 WCC, A352 LCC, A105N, A350 Gr LF2, A182 F316	NPS 2"-20" BW, Flanged,	ASME Classes: 150, 300, 600, 900	ASME B16.34	E-PV-2016		
	Welded Body Ball Valves	A216 WCB, A216 WCC, A352 LCC, A105N, A350 Gr LF2, A182 F316, A351 CF8M	NPS 2"-60" BW, Flanged,	ASME Classes: 150, 300, 600, 900, 1500, 2500	ASME B16.34	E-FWBV-2019		
	GateValves	A216 WCB, A216 WCC, A352 LCC, A105N, A350 Gr LF2, A995 CD3MN, A995 CD4MCuN, A182 F51, A182 F53, A182 F55, A217 WC1, A217 WC6, A217 WC9, A217 C5, A217 C12, A217 C12A, A217 WC5, A182 F1, A182 F5, A182 F9, A182 F91, A182 F5a, A182 F92, A352 LC1, A352 LC2, A352 LC3, A352		ed, 150, 300, 600,	ASME B16.34/API 600	E-GGC-2019		
	Globe Valves	LCB, A350 LF3, A350 LF6(2), A494 M35-1, A494 M35-2, A351 CN7M, A494 CW-12MW, B564 N04400, B564 N06600, B564 N06625, B637 N07718, B564 N08800, B564 N08825, B564 N10276, B564 N10675, B564 N10665, B462 N08020, B649 N08904, A351 CF8, A351 CF8M, A351 CF3, A351 CF3M, A351	NPS 2"-72" BW, Flanged, Flat Face		ASME B16.34/API 623			
	Check Valves	CF8C, A351 CF10, A351 CG8M, A351 CG3M, A351 CF10M, A351 CK3MCuN, A351 CN3MN, A182 F304, A182 F316, A182 F304L, A182 F316L, A182 F347, A182 F304H, A182 F321, A182 F317L, A182 F317, A182 F316H, A182 F321H, A182 F347H, A182 F44, A240 304, A240 316, A240 316L, A995 CD4MCuN, A995 CD8MN, A182 F22, A182 F11			ASME B16.34/API 594			
	Dual Plate Check	A216 WCC, A216 WCB, A352 LCC, A352 LCB, A105N, A350 LF2, A217 WC6, A217 WC9, A217 C5, A351 CF8M, A351 CF3M, A351 CF3, A351 CF8, A890 CD3MN, A217 WC1, A217 C12, A217 C12A,	NPS 2"-60" Wafer, Lug, Flanged	ASME Classes: 150, 300, 600, 900, 1500, 2500	ASME B16.34	E-DAV-2015		
	Axial Flow Check	A351 CF8M, A351 CF3, A351 CF3, A351 CF8, A890 CD3MN, A217 WC1, A217 C12, A217 C12A, A217 WC5, A350 LF2, A350 LF6(2), A494 M35-1, A351 CN7M, A351 CF8C, A351 CF10, A351 CG8M, A351 CG3M, A351 CF10M, A351 CK3MCuN, A351 CN3MN,	NPS 2"-48" Flanged, BW		ASME B16.34			

BW (BUTTWELD)- Sch std, XS, XXS

Flanged as permitted by ASME B16.5 and B16.47. 26" and larger to B16.47 Ser. A or Ser. B Gate Valves include PS bonnets, and parallel slide gates.

ABSA
SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C12252.2

See acceptance letter for conditions of registration.

Date: 2021-03-12 By: Žaus Pasariffen ZANA RADISAVLJEVIC, P. Tech. (Eng.)

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

Page 3 of 4



Table 1 Scope of Fitting Design

Supplemental Sheet for AB-4

-/	IN LIVE	Table 1 Scope of Fitting Design			Supplemental Sheet for AB-41		
Fitting Description	Primary Presure Bearing/Retaining Component	Material of Construction	Fitting Size Range &/or Schedule	End Connection and Size Range	Code/Standard of Construction	Reference Catalogue (pages) or Drawing (s)	
	Full Port Check Valves	A216 WCB, A216 WCC, A352 LCC, A352 LCB, A351 CF8, A351 CF8M	NPS 2"-54" BW, Flanged,	ASME Classes: 150, 300, 600, 900, 1500, 2500	ASME B16.34/API 6D	- E-PLV-2019	
	Full Port Gate Valves	A210 WCB, A210 WCC, A332 LCC, A332 LCB, A331 CF6, A331 CF6WI			ASME B16.34/API 6D		
	Double Offset Butterfly Valve	A216 WCB, A215 WCC, A995 CD3MN, A995 CD4MCuN, A217 WC1, A217 WC6, A217 WC9, A217 C5, A217 C12. A217 C12A. A217 WC5. A352 LC1. A352 LC2. A352 LC3. A352 LCB. A352 LCC. A494 M35-		ASME Classes 150,300, 600	ASME B16.34/API 609	E-DOV-2020	
Valves	Triple Offset Butterfly Valve	1, A494 M35-2, A351 CN7M, A494 CW-12MW, A351 CF8, A351 CF8M, A351 CF3, A351 CF3M, A351 CF8C, A351 CF10, A351 CG8M, A351 CG3M, A351 CF10M, A351 CK3MCuN, A351 CN3MN	NPS 2"-72" BW, Flanged,	ASME Classes: 150, 300, 600, 900, 1500, 2500	ASME B16.34/API 609	E-TOV-2019	
	Forged Steel	A105, A105N, A350 GR LF2, A182 F316, A182 F316L, A182 F304, A182 F304L, A182 GR F11, A182 GR F22, A182 GR F5a, A182 F51, A182 F53, A182 F55, A182 F1, A182 F9, A182 F91, A182 F92, B564 N04400, B564 N06600, B564 N06625, B637 N07718, B564 N08800, B564 N08825, B564 N10276, B564 N10675, B564 N10665, B462 N08020, B649 N08904, A182 F347, A182 F304H, A182 F321, A182 F317L, A182 F317, A182 F316H, A182 F321H, A182 F347H, A182 F44	NPS 1/4"-2" BW, Flanged, SW, FNPT, SW x FNPT MNPT	ASME Classes: 150, 300, 600, 800* 900, 1500, 2500	ASME B16.34/API 602	E-FSV-2020	
	Gate Valves API 603		NPS 1/4"-24" Flanged, SW, FNPT, SW x FNPT MNPT	ASME Classes: 150, 300, 600,	ASME B16.34/API 603	E-SSV-2019	
	Globe Valves API 603	A351 CF8, A351 CF8M, A351 CF3, A351 CF3M, A351 CF8C, A351 CG8M					
	Check Valves API 603						

^{*} Class 800 is for API style 602 vavles only. BW (BUTTWELD)- Sch std, XS, XXS

Flanged as permitted by ASME B16.5 and B16.47. 26" and larger to B16.47 Ser. A or Ser. B

Page 4 of 4

2021-01046

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C12252.2

See acceptance letter for conditions of registration.

Date: 2021-03-12 By: Zana Padisar/jeni

ZANA RADISAVLJEVIC, P. Tech. (Eng.)

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.