


# CRN Listing

## Yuexiu

<b>Province</b>	<b>CRN</b>	<b>Expiry</b>
British Columbia	Opted out	
Alberta	0B21470.2	12-May-2031
Saskatchewan	Opted out	
Manitoba	Opted out	
Ontario	0B21470.2	12-May-2031
Quebec	Opted out	
New Brunswick	0B21470.2	12-May-2031
Nova Scotia	0B21470.2	12-May-2031
Prince Edward Island	0B21470.2	12-May-2031
Newfoundland	0B21470.2	12-May-2031
Yukon	0B21470.2	12-May-2031
Northwest Territories	0B21470.2	12-May-2031
Nunavut	0B21470.2	12-May-2031

**STATUTORY DECLARATION  
Registration of Fittings**  
Single or Multiple Fitting Designs within one Fitting Category

I, Zhi Jiwei, President  
(name of applicant) (position title) (must be in a position of authority)  
of SHANXI YUEXIU METAL PRODUCTS CO.,LTD.  
(name of manufacturer)  
located at Guanjiaying Industrial Park,Xinzhou City,Shanx Province,P.R.CHINA  
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act  
(select only one)

comply with the requirements of ASME B16.5,B16.47,B16.36, B16.48,A105,A350,A182,A515,A516,AWWAC207 which specifies the dimensions,  
(title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the  
(title of code of construction or other applicable document)

attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

**Quality Program Verification and Manufacturing Sites**

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	FLANGES	ISO	MANUFACTURING FORGED STEEL FLANGES	NOV 1, 2021	BEIJING STANDARD CERTIFICATION CENTRE	GUANJIAYING IND'L PARK,DINGXIANG COUNTY,XINZHOU CITY,SHANXI,035404
2.						

In support of this application, the following information, calculations and/or test data are attached:

YX CATALOG 0121 \*\*

ISO 9001:2015 CERTIFICATE

\_\_\_\_\_  
(Signature of the Declarer)

\_\_\_\_\_  
(Date)

DECLARED before me at Dingxiang County in the Shanxi Province of China  
(city) (province, territory, or state)

this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_  
(Month) (Year)

(print) \_\_\_\_\_  
(a Commissioner of Oaths or Notary Public)

(sign) \_\_\_\_\_  
(a Commissioner of Oaths or Notary Public)

\_\_\_\_\_  
(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: \_\_\_\_\_  
(province, territory, or state)

**For ABSA Office Use Only:**

NOTES: **\*\* See attached Scope of Registration.**

<p>To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category _____.</p> <p>CRN: _____</p> <p>Registered Date: _____</p> <p>Expiry Date: _____</p> <p>Signature: _____ (Signature of the Administrator/SCO)</p> <p>The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline</p>	<p>2021-01906</p> <p style="text-align: center;"><b>ABSA</b></p> <p style="text-align: center;">SAFETY CODES ACT - PROVINCE OF ALBERTA</p> <p style="text-align: center;"><b>ACCEPTED: 0B21470.2</b></p> <p style="text-align: center;"><b>See acceptance letter for conditions of registration.</b></p> <p>Date: 2021-05-12 By: <i>Ashling Dick</i> ASHLING DICK, P. Eng.</p> <p><small>This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.</small></p>
---	--

2021-01906  
**ABSA**  
 SAFETY CODES ACT - PROVINCE OF ALBERTA  
**ACCEPTED: 0B21470.2**  
 See acceptance letter for conditions of registration.  
 Date: 2021-05-12 By: *Tobias Dick*  
 ASHLING DICK, P. Eng.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

**Table 1\*\* Scope of Fitting Designs**

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			
Forged Flanges	Weld Neck, Slip On, Blind, Threaded, Socket Weld, Lap Joint,	ASTM/ASME A/SA105, A/SA350 LF2 CI 1, A/SA182 F304 F304L F316 F316L	Raised Face, Flat Face, Ring Type Joint 1/2" to 24"		Per system code of construction	Per system code of construction	ASME Class 150 300 600 900 1500 2500 **	ASME B16.5 AWWA C207	2, 4
Forged Flanges	Weld Neck, Blind,	ASTM/ASME A/SA105, A/SA350 LF2 CI 1	Raised Face, Flat Face, Ring Type Joint 26" – 60"		Per system code of construction	Per system code of construction	ASME Class 150 300 600 900	ASME B16.47	2, 4
Forged Flanges	Weld Neck Orifice	ASTM/ASME A/SA105, A/SA350 LF2 CI 1	Raised Face, Ring Type Joint. 1" to 24"		Per system code of construction	Per system code of construction	ASME Class 300 600 900 1500 2500	ASME B16.36	2, 4
Forged Flanges	Spectacle / Paddle Blind	ASTM/ASME A/SA105, A/SA182 F304 F316	Flat Face, Raised Face 1/2" to 24"		Per system code of construction	Per system code of construction	ASME Class 150 300 600 900 1500 2500	ASME B16.48	2, 4

\*\* only size 1/2-12NPS with class 2500 is included as part of this registration

**Table 2 Additional Scope Information**

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Example: Series X Options



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

July 6, 2021

ALBERTA BOILERS SAFETY ASSOCIATION  
9410 20 AVE NW  
EDMONTON AB T6N 0A4

**Workorder Type:** Registration - Fitting(Conventional)

**Workorder No:** 8018371

**Your Reference No.:** PORTAL#2021-S0572, 2021-01906 - CRN#0B21470.2 - FLANGES & LINE BLANKS - SCOPE OF FITTING DESIGNS - SHANXI YUEXIU METAL PRODUCTS CO LTD

**Registered to:** SHANXI YUEXIU METAL PRODUCTS CO., LTD.

Dear NATHALIE DUGO,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0B21470.25

Main Design No.: Flanges and Line Blanks per Scope of Fitting Designs

Expiry Date: May 12, 2031

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.


The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic , P. Eng.  
Engineer, BPV  
Tel. : +1 416-734-3429  
Email : [zgacevic@tssa.org](mailto:zgacevic@tssa.org)

**STATUTORY DECLARATION  
Registration of Fittings**  
Single or Multiple Fitting Designs within one Fitting Category

I, Zhi Jiwei, President  
(name of applicant) (position title) (must be in a position of authority)  
of SHANXI YUEXIU METAL PRODUCTS CO.,LTD.  
(name of manufacturer)  
located at Guanjiaying Industrial Park,Xinzhou City,Shanx Province,P.R.CHINA  
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act  
(select only one)

comply with the requirements of ASME B16.5,B16.47,B16.36, B16.48,A105,A350,A182,A515,A516,AWWAC207 which specifies the dimensions,  
(title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the  
(title of code of construction or other applicable document)

attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

**Quality Program Verification and Manufacturing Sites**

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	FLANGES	ISO	MANUFACTURING FORGED STEEL FLANGES	NOV 1, 2021	BEIJING STANDARD CERTIFICATION CENTRE	GUANJIAYING IND'L PARK,DINGXIANG COUNTY,XINZHOU CITY,SHANXI,035404
2.						

Tracking #: \_\_\_\_\_

In support of this application, the following information, calculations and/or test data are attached:

YX CATALOG 0121

ISO 9001:2015 CERTIFICATE

(Signature of the Declarer)

(Date)

DECLARED before me at Dingxiang County in the Shanxi Province of China

this day of (Month), (Year)

(print) (a Commissioner of Oaths or Notary Public)

(sign) (a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: (province, territory, or state)

For ABSA Office Use Only:

NOTES:

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category 'B'.
CRN:
Registered Date:
Expiry Date: May 12, 2031
Signature:
(Signature of the Administrator/SCO)
The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

Technical Standards and Safety Authority Boilers and Pressure Vessels Safety Program REGISTERED C.R.N.: 0B21470.25 Signed: [Signature] Date: July 6, 2021.

Note: See attached document for Scope of Registration

**Table 1\*\* Scope of Fitting Designs**

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			
Forged Flanges	Weld Neck, Slip On, Blind, Threaded, Socket Weld, Lap Joint,	ASTM/ASME A/SA105, A/SA350 LF2 CI 1, A/SA182 F304 F304L F316 F316L	Raised Face, Flat Face, Ring Type Joint ½" to 24"		Per system code of construction	Per system code of construction	ASME Class 150 300 600 900 1500 2500	ASME B16.5 AWWA C207	2, 4
Forged Flanges	Weld Neck, Blind,	ASTM/ASME A/SA105, A/SA350 LF2 CI 1	Raised Face, Flat Face, Ring Type Joint 26" – 60"		Per system code of construction	Per system code of construction	ASME Class 150 300 600 900	ASME B16.47	2, 4
Forged Flanges	Weld Neck Orifice	ASTM/ASME A/SA105, A/SA350 LF2 CI 1	Raised Face, Ring Type Joint. 1" to 24"		Per system code of construction	Per system code of construction	ASME Class 300 600 900 1500 2500	ASME B16.36	2, 4
Forged Flanges	Spectacle / Paddle Blind	ASTM/ASME A/SA105, A/SA182 F304 F316	Flat Face, Raised Face ½" to 24"		Per system code of construction	Per system code of construction	ASME Class 150 300 600 900 1500 2500	ASME B16.48	2, 4

**Table 2 Additional Scope Information**

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Example: Series X Options




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUEXIU METAL PRODUCTS CO., LTD	
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input checked="" type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>ISO9001:2015 certificate Catalogue 0121</p>	

**Declaration:**

I Zhi Jiwei (see note 3) employed by SHANXI YUEXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟



Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

<p>CRN: <u>0B21470.2</u></p> <p>FID#: <u>16100</u></p> <p>Notes: Threaded, SW, SO, WN &amp; blind flanges up to 24" (ASME B16.5). Orifice flanges up to 24" (ASME B16.36). WN &amp; Blind Flanges</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>up to 60" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2016</p> <p>CRN expires May 12th, 2031 - DG</p>	<p align="center">Use this space for the Official Seal</p> <p align="center"></p> <p align="center">DEPT OF JUSTICE PUBLIC SAFETY BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY</p> <p>CRN <u>0B21470.27</u></p> <p align="center"></p> <p align="center">CHIEF BOILER INSPECTOR</p> <p>DATE <u>5/21/21</u> Sect 1.0 - Fittings Rev.2</p>
--	--

- BLRs       PVs
- FITTINGS       NUCLEAR COMPONENTS




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUEXIU METAL PRODUCTS CO., LTD	
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input checked="" type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>ISO9001:2015 certificate Catalogue 0121</p>	

**Declaration:**

I, Zhi Jiwai (see note 3) employed by SHANXI YUEXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

Use this space for the Official Seal

<p>CRN: <u>0B21470.2</u></p> <p>FID#: <u>16100</u></p> <p>Third, lapped, SW, SO, WN &amp; blind flanges up to 24" (ASME B16.5). Normal Office flanges up to 24" (ASME B16.36). WN &amp; Blind Flanges</p> <p>1 All Fittings shall be registered in the name of the Manufacturer</p> <p>2 Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3 The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4 Quality Control programs shall be resubmitted for validation, up to 60" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2018</p> <p>CRN expires May 12th, 2031 - DG</p>	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <div align="center">  <p>Date <u>May 21/21</u> C.R.N. <u>0B21470.28</u> Dwg. <u>as described</u> Signed <u>Yvonne Perry</u> <u>1 of 1</u> Part</p> </div> <p align="right">Sect 1.0 - Fittings Rev.2</p>
---	---




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUEXIU METAL PRODUCTS CO., LTD	
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  <input checked="" type="checkbox"/> B Flanges; all flanges                  C Valves; all line valves                  D Expansion joints, flexible connections, and hose assemblies; all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207
<p align="center"><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> 	<p align="center"><b>Type of Construction</b></p> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> IS09001:2015 certificate Catalogue 0121	

**Declaration:**

I Zhi Jiwei (see note 3) employed by SHANXI YUEXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

Use this space for the Official Seal

<p align="center">This space for Regulatory Authority use.                  This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
CRN: <u>0B21470.2</u> FID#: <u>16100</u> Thrd. lapped, SW, SO, WN & blind flanges up to 24" (ASME B16.5). Notes: Orifice flanges up to 24" (ASME B16.36). WN & Blind Flanges	<p align="center"><b>ACCEPTED</b></p> <p align="center"><b>PROVINCE OF PRINCE EDWARD ISLAND                  COMMUNITIES, LAND &amp; ENVIRONMENT</b></p> C.R.N. <u>0B21470.29</u> DATE: <u>May 25 2021</u>  <b>INSPECTION SERVICES SECTION                  BOILER/PRESSURE VESSEL BRANCH</b>
<ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> up to 80" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2016	Fittings Rev.2
CRN expires May 12th, 2031 - DG	




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUEXIU METAL PRODUCTS CO., LTD	
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
<b>Category of Fittings to be registered. Circle one Category only</b>	
<input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input checked="" type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b> ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b> 	<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<b>List of supporting documentation and identification of the actual items to be registered:</b> ISO9001:2015 certificate Catalogue 0121	


**Declaration:**

I, Zhi Jimi (see note 3) employed by SHANXI YUEXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟  
 Declared before me at \_\_\_\_\_  
 This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_  
 Commissioner of Oaths  
 Or Notary Public: (sign) \_\_\_\_\_

Use this space for the Official Seal

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OB21470.2</u> FID#: <u>16100</u> Thrd, lapped, SW, SO, WN & blind flanges up to 24" (ASME B16.5). Orifice flanges up to 24" (ASME B16.36). WN & Blind Flanges	 Registered <u>OB21470.20</u> Date <u>21/05/26</u> Engineering and Inspection Services Registered by <u>[Signature]</u>
1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.	up to 60" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2016 CRN expires May 12th, 2031 - DG

UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUEXIU METAL PRODUCTS CO., LTD	
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><input checked="" type="checkbox"/> <b>A</b> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> <b>B</b> Flanges: all flanges</p> <p><input type="checkbox"/> <b>C</b> Valves: all line valves</p> <p><input type="checkbox"/> <b>D</b> Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> <b>E</b> Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> <b>F</b> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> <b>G</b> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> <b>H</b> Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> <b>N</b> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>ISO9001:2015 certificate Catalogue 0121</p>	

**Declaration:**

I Zhi Jiwai (see note 3) employed by SHANXI YUEXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

Use this space for the Official Seal

<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0B21470.2</u></p> <p>FID#: <u>16100</u></p> <p>Notes: lapped, SW, SO, WN &amp; blind flanges up to 24" (ASME B16.5). Orifice flanges up to 24" (ASME B16.36). WN &amp; Blind Flanges</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>up to 60" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2016</p> <p>CRN expires May 12th, 2031 - DG</p>	
---	--




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUOXIU METAL PRODUCTS CO., LTD		
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA		
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA		
<p align="center"><u>Category of Fittings to be registered. Circle one Category only</u></p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><u>Title of the Standard of Construction</u></p> <p>ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207</p>	
<p><u>Show Manufacturers Name, Trademark, or Logo as it will appear on the product:</u></p> <div align="center">  </div>		<p align="center"><u>Type of Construction</u></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><u>List of supporting documentation and identification of the actual items to be registered:</u></p> <p>ISO9001:2015 certificate Catalogue 0121</p>		

**Declaration:**

I, Zhi Jiwai (see note 3) employed by SHANXI YUOXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

Use this space for the Official Seal

<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0B21470.2</u></p> <p>FID#: <u>16100</u></p> <p>Third, lapped, SW, SO, WN &amp; blind flanges up to 24" (ASME B16.5). Notes: Orifice flanges up to 24" (ASME B16.36), WN &amp; Blind Flanges</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>up to 60" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2016</p> <p>CRN expires May 12th, 2031 - DG</p>	<div align="center">  <p><b>Northwest Territories</b></p> <p><b>REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</b></p> <p>C.R.N. <u>0B21470.2</u> <small>Rev. 2</small></p> <p>SIGNED <u>[Signature]</u></p> <p>DATE <u>May 27 2021</u></p> </div> <p align="right">76302</p>
--	---




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: SHANXI YUEXIU METAL PRODUCTS CO., LTD	
Manufacturers Address: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
Plant Locations: Guanjiaying Industrial Park, Dingxiang County, Xinzhou City, Shanxi Province, P. R. CHINA	
<b>Category of Fittings to be registered. Circle one Category only</b>	
<input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input checked="" type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b> ASME B16.5, B16.47, B16.36, B16.48 ASTM A105, A350 LF2 CL1, A182, A515, A516, AWWA C207
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<b>List of supporting documentation and identification of the actual items to be registered:</b> ISO9001:2015 certificate Catalogue 0121	

**Declaration:**

I, Zhi Jitai (see note 3) employed by SHANXI YUEXIU and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BEIJING STANDARD CERTIFICATION CENTRE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 智计伟

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

Use this space for the Official Seal

This space for Regulatory Authority use.	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0B21470.2</u> FID#: <u>16100</u> Thrd, lapped, SW, SO, WN & blind flanges up to 24" (ASME B16.5). Notes: Office flanges up to 24" (ASME B16.36). WN & Blind Flanges 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. up to 60" (ASME B16.47). Spectacle/Paddle blinds (ASME B16.48) 11/2018 CRN expires May 12th, 2031 - DG	 <p align="center"><b>NUNAVUT</b> Boilers and Pressure Vessels Act</p> <p align="center"><b>REGISTERED</b></p> CRN <u>0B21470.2 N</u> Date <u>May 21, 2021</u> Signed <u>[Signature]</u> Chief Inspector
Territorial Registration Fee	